



STRIP BRUSHES

Tanis offers a wide selection of standard strip brushes that perform countless weather stripping and sealing functions. Our standard sizes are #2-1/2, #4, #7 and #10 and are available in a variety of filaments, trim heights and overall lengths with holders available in corresponding sizes. Tanis also produces straight strips in #2, #3, #5, and #8 backings. We can customize strips to meet your application needs.



Shapes and Construction



Straight Strip

The most economical and common manufacturing shape for metal back strip brushes. Brushes are used individually or mounted parallel on a flat surface for a wider brush face. Applications include window seals, commercial and overhead doors, dock leveler seals, air flow seals, cable management, engine seals, airport hangars, conveyor cleaning, splash curtains, machine guards, static control, transportation vehicle seals and cleaning glass.



Coiled

After a straight metal back strip brush is formed, the strip can then be attached to a core, shaft or tube based on the equipment need. It gets wound under tension to make a coiled cylinder brush. We can wind the strip brush right or left-handed at the desired pitch to establish the brush density. Strips can be wound in either an open wound style for a less dense brush or close wound pitch to create a dense brush face.



Formed Strip

The metal back strip brush can be formed into irregular shapes. With a range of configurations, strip brushes can be formed into ovals, squares, rectangles, "L" and "V" shapes and compound curves. Formed to meet many shapes and applications.



Cylinder or Rotary

A metal back strip brush is attached and wound directly to a core, shaft or tube. The coil is wound under tension onto a core, shaft or tube for secure mounting, or free coiled and then assembled to the core. A coil can be close or open wound depending on the desired brush density. Dynamic balancing is provided, if required, to assure complete surface contact regardless of the brush size and speed of the brush. Brushes are generally used in conveyor cleaning, glass washing, vegetable and fruit washing, sheet metal polishing, cleaning trammel screens and used as an auger or screw to move product in a given direction.




Internal Ring

An internal ring is manufactured by forming a metal back strip brush with the filament material to the inside. The ring can be sprung open to place over a shaft or split in halves or segments to be mounted over a shaft. Ideally used for cleaning the outside surfaces of plastic or metal tubing and rod or used for drum and shaft seals. In high temperature applications, wire filament is recommended.



External Ring


External rings are metal back strip brushes wound with the filament to the outside. They are used as individual rings or mounted together to make a wide brush face. They are used in various cleaning and polishing applications.



Formed Cup

A metal back strip brush is formed into a 360 degree circle or segments of a full circle. The backing sides can be formed vertical or at various angles. Generally used for vacuum hose seals, router enclosures for dust and particle collection on drill presses.


Strip Brush Terminology



BACKING			STANDARD FORMED DIMENSIONS		OVERALL TRIM		SYNTHETIC FILL SIZE RANGE	WIRE FILL SIZE RANGE
SIZE #	THICKNESS (IN)		BASE (IN) +/- .010	LEG (IN) +/- .015	MINIMUM (IN) +/- .032	MAXIMUM (IN) +/- .032	LEVEL OR CRIMPED (IN)	LEVEL OR CRIMPED (IN)
	GALV	STST						
2	.018	.018	.098	.114	.313	6.00	.003 - .012	—
2.5	.024	.018	.125	.125	.313	6.00	.003 - .020	.003 - .010
3	.022	.018	.150	.160	.313	6.00	.003 - .024	.003 - .010
4	.030	.025	.194	.205	.375	8.00	.003 - .030	.003 - .010
5	.035	.035	.240	.250	.500	8.00	.003 - .045	—
7	.040	.040	.310	.340	.625	12.00	.003 - .120	.003 - .014
8	.048	.040	.340	.402	.875	12.00	.003 - .120	—
10	.048	.045	.440	.473	1.00	16.00	.003 - .120	.010 - .020

Metal Back Strip Brush Sizes


Metal back strip brushes are built with filament that gets secured into a metal backing with a hold down wire and crimping of the metal backing. Offered in galvanized or stainless steel backing. Once you select the backing size you need for your strip brush, you'll choose a separate metal holder in the same size for mounting. We offer strip brushes in backing sizes #2, #2-1/2, #3, #4, #5, #7, #8 and #10 shown below.




Metal Back Strip Holder Options

We offer holders for all of our standard metal back strip brushes in extruded aluminum for backing sizes #2 1/2, #4, #7 and #10, and in formed stainless steel in backings #4 and #7. The holders are available in a variety of profiles for straight and angled mounting.

The different profile shapes ensure the brush is mounted at an optimal position for maximum surface contact and effectiveness. Our aluminum holders come with a clear anodized finish that provides a protective coating, strengthening the durability and extending the life of the holder.



Nylon Fill/Galvanized Backing



TANIS PART NO.	BACKING SIZE	OVERALL TRIM	OVERALL LENGTH	FILL MATERIAL
MB250036	#2-1/2	3/4"	36"	.006 Crimped Black Nylon
MB250072	#2-1/2	3/4"	72"	.006 Crimped Black Nylon
MB250096	#2-1/2	3/4"	96"	.006 Crimped Black Nylon
MB250236	#2-1/2	1"	36"	.008 Crimped Black Nylon
MB250272	#2-1/2	1"	72"	.008 Crimped Black Nylon
MB250296	#2-1/2	1"	96"	.008 Crimped Black Nylon
MB250436	#2-1/2	2"	36"	.010 Crimped Black Nylon
MB250472	#2-1/2	2"	72"	.010 Crimped Black Nylon
MB250496	#2-1/2	2"	96"	.010 Crimped Black Nylon
MB250636	#2-1/2	3"	36"	.012 Crimped Black Nylon
MB250672	#2-1/2	3"	72"	.012 Crimped Black Nylon
MB250696	#2-1/2	3"	96"	.012 Crimped Black Nylon


Other trim lengths, overall lengths, fill material and backing sizes are available upon request.
Additional lengths by the foot available.

Nylon Fill/Stainless Steel Backing



TANIS PART NO.	BACKING SIZE	OVERALL TRIM	OVERALL LENGTH	FILL MATERIAL
MB252036	#2-1/2	3/4"	36"	.006 Crimped Black Nylon
MB252072	#2-1/2	3/4"	72"	.006 Crimped Black Nylon
MB252096	#2-1/2	3/4"	96"	.006 Crimped Black Nylon
MB252236	#2-1/2	1"	36"	.008 Crimped Black Nylon
MB252272	#2-1/2	1"	72"	.008 Crimped Black Nylon
MB252296	#2-1/2	1"	96"	.008 Crimped Black Nylon
MB252436	#2-1/2	2"	36"	.010 Crimped Black Nylon
MB252472	#2-1/2	2"	72"	.010 Crimped Black Nylon
MB252496	#2-1/2	2"	96"	.010 Crimped Black Nylon
MB252636	#2-1/2	3"	36"	.012 Crimped Black Nylon
MB252672	#2-1/2	3"	72"	.012 Crimped Black Nylon
MB252696	#2-1/2	3"	96"	.012 Crimped Black Nylon

Other trim lengths, overall lengths, fill material and backing sizes are available upon request.



Nylon Fill/Galvanized Backing



TANIS PART NO.	BACKING SIZE	OVERALL TRIM	OVERALL LENGTH	FILL MATERIAL
MB400036	#4	1"	36"	.010 Crimped Black Nylon
MB400072	#4	1"	72"	.010 Crimped Black Nylon
MB400096	#4	1"	96"	.010 Crimped Black Nylon
MB400236	#4	2"	36"	.010 Crimped Black Nylon
MB400272	#4	2"	72"	.010 Crimped Black Nylon
MB400296	#4	2"	96"	.010 Crimped Black Nylon
MB400436	#4	2"	36"	.014 Crimped Black Nylon
MB400472	#4	2"	72"	.014 Crimped Black Nylon
MB400496	#4	2"	96"	.014 Crimped Black Nylon
MB400636	#4	3"	36"	.014 Crimped Black Nylon
MB400672	#4	3"	72"	.014 Crimped Black Nylon
MB400696	#4	3"	96"	.014 Crimped Black Nylon
MB400836	#4	4"	36"	.014 Crimped Black Nylon
MB400872	#4	4"	72"	.014 Crimped Black Nylon
MB400896	#4	4"	96"	.014 Crimped Black Nylon
MB401036	#4	6"	36"	.014 Crimped Black Nylon
MB401072	#4	6"	72"	.014 Crimped Black Nylon
MB401096	#4	6"	96"	.014 Crimped Black Nylon

Other trim lengths, overall lengths, fill material and backing sizes are available upon request.


Nylon Fill/Stainless Steel Backing



TANIS PART NO.	BACKING SIZE	OVERALL TRIM	OVERALL LENGTH	FILL MATERIAL
MB402036	#4	1"	36"	.010 Crimped Black Nylon
MB402072	#4	1"	72"	.010 Crimped Black Nylon
MB402096	#4	1"	96"	.010 Crimped Black Nylon
MB402436	#4	2"	36"	.014 Crimped Black Nylon
MB402472	#4	2"	72"	.014 Crimped Black Nylon
MB402496	#4	2"	96"	.014 Crimped Black Nylon
MB402636	#4	3"	36"	.014 Crimped Black Nylon
MB402672	#4	3"	72"	.014 Crimped Black Nylon
MB402696	#4	3"	96"	.014 Crimped Black Nylon
MB402836	#4	4"	36"	.014 Crimped Black Nylon
MB402872	#4	4"	72"	.014 Crimped Black Nylon
MB402896	#4	4"	96"	.014 Crimped Black Nylon
MB403036	#4	6"	36"	.014 Crimped Black Nylon
MB403072	#4	6"	72"	.014 Crimped Black Nylon
MB403096	#4	6"	96"	.014 Crimped Black Nylon


Other trim lengths, overall lengths, fill material and backing sizes are available upon request.

Nylon Fill/Galvanized Backing



TANIS PART NO.	BACKING SIZE	OVERALL TRIM	OVERALL LENGTH	FILL MATERIAL
MB700036	#7	1"	36"	.010 Crimped Black Nylon
MB700072	#7	1"	72"	.010 Crimped Black Nylon
MB700096	#7	1"	96"	.010 Crimped Black Nylon
MB700236	#7	2"	36"	.014 Crimped Black Nylon
MB700272	#7	2"	72"	.014 Crimped Black Nylon
MB700296	#7	2"	96"	.014 Crimped Black Nylon
MB700436	#7	2"	36"	.020 Crimped Black Nylon
MB700472	#7	2"	72"	.020 Crimped Black Nylon
MB700496	#7	2"	96"	.020 Crimped Black Nylon
MB700636	#7	3"	36"	.014 Crimped Black Nylon
MB700672	#7	3"	72"	.014 Crimped Black Nylon
MB700696	#7	3"	96"	.014 Crimped Black Nylon
MB700836	#7	3"	36"	.020 Crimped Black Nylon
MB700872	#7	3"	72"	.020 Crimped Black Nylon
MB700896	#7	3"	96"	.020 Crimped Black Nylon
MB701036	#7	3"	36"	.030 Crimped Black Nylon
MB701072	#7	3"	72"	.030 Crimped Black Nylon
MB701096	#7	3"	96"	.030 Crimped Black Nylon
MB701236	#7	4"	36"	.020 Crimped Black Nylon
MB701272	#7	4"	72"	.020 Crimped Black Nylon
MB701296	#7	4"	96"	.020 Crimped Black Nylon
MB701436	#7	4"	36"	.030 Crimped Black Nylon
MB701472	#7	4"	72"	.030 Crimped Black Nylon
MB701496	#7	4"	96"	.030 Crimped Black Nylon
MB701636	#7	6"	36"	.020 Crimped Black Nylon
MB701672	#7	6"	72"	.020 Crimped Black Nylon
MB701696	#7	6"	96"	.020 Crimped Black Nylon
MB701736	#7	6"	36"	.045 Crimped Black Nylon
MB701772	#7	6"	72"	.045 Crimped Black Nylon
MB701796	#7	6"	96"	.045 Crimped Black Nylon
MB701836	#7	8"	36"	.045 Crimped Black Nylon
MB701872	#7	8"	72"	.045 Crimped Black Nylon
MB701896	#7	8"	96"	.045 Crimped Black Nylon
MB701936	#7	10"	36"	.045 Crimped Black Nylon
MB701972	#7	10"	72"	.045 Crimped Black Nylon
MB701996	#7	10"	96"	.045 Crimped Black Nylon

Other trim lengths, overall lengths, fill material and backing sizes are available upon request.




Nylon Fill/Stainless Steel Backing



TANIS PART NO.	BACKING SIZE	OVERALL TRIM	OVERALL LENGTH	FILL MATERIAL
MB702036	#7	1"	36"	.010 Crimped Black Nylon
MB702072	#7	1"	72"	.010 Crimped Black Nylon
MB702096	#7	1"	96"	.010 Crimped Black Nylon
MB702236	#7	2"	36"	.014 Crimped Black Nylon
MB702272	#7	2"	72"	.014 Crimped Black Nylon
MB702296	#7	2"	96"	.014 Crimped Black Nylon
MB702436	#7	2"	36"	.020 Crimped Black Nylon
MB702472	#7	2"	72"	.020 Crimped Black Nylon
MB702496	#7	2"	96"	.020 Crimped Black Nylon
MB702636	#7	3"	36"	.014 Crimped Black Nylon
MB702672	#7	3"	72"	.014 Crimped Black Nylon
MB702696	#7	3"	96"	.014 Crimped Black Nylon
MB702836	#7	3"	36"	.020 Crimped Black Nylon
MB702872	#7	3"	72"	.020 Crimped Black Nylon
MB702896	#7	3"	96"	.020 Crimped Black Nylon
MB703036	#7	3"	36"	.030 Crimped Black Nylon
MB703072	#7	3"	72"	.030 Crimped Black Nylon
MB703096	#7	3"	96"	.030 Crimped Black Nylon
MB703236	#7	4"	36"	.020 Crimped Black Nylon
MB703272	#7	4"	72"	.020 Crimped Black Nylon
MB703296	#7	4"	96"	.020 Crimped Black Nylon
MB703436	#7	4"	36"	.030 Crimped Black Nylon
MB703472	#7	4"	72"	.030 Crimped Black Nylon
MB703496	#7	4"	96"	.030 Crimped Black Nylon
MB703636	#7	6"	36"	.020 Crimped Black Nylon
MB703672	#7	6"	72"	.020 Crimped Black Nylon
MB703696	#7	6"	96"	.020 Crimped Black Nylon
MB703736	#7	6"	36"	.045 Crimped Black Nylon
MB703772	#7	6"	72"	.045 Crimped Black Nylon
MB703796	#7	6"	96"	.045 Crimped Black Nylon
MB703836	#7	8"	36"	.045 Crimped Black Nylon
MB703872	#7	8"	72"	.045 Crimped Black Nylon
MB703896	#7	8"	96"	.045 Crimped Black Nylon
MB703936	#7	10"	36"	.045 Crimped Black Nylon
MB703972	#7	10"	72"	.045 Crimped Black Nylon
MB703996	#7	10"	96"	.045 Crimped Black Nylon

Other trim lengths, overall lengths, fill material and backing sizes are available upon request.



Nylon Fill/Galvanized Backing



TANIS PART NO.	BACKING SIZE	OVERALL TRIM	OVERALL LENGTH	FILL MATERIAL
MB100036	#10	2"	36"	.014 Crimped Black Nylon
MB100072	#10	2"	72"	.014 Crimped Black Nylon
MB100096	#10	2"	96"	.014 Crimped Black Nylon
MB100236	#10	3"	36"	.020 Crimped Black Nylon
MB100272	#10	3"	72"	.020 Crimped Black Nylon
MB100296	#10	3"	96"	.020 Crimped Black Nylon
MB100436	#10	4"	36"	.020 Crimped Black Nylon
MB100472	#10	4"	72"	.020 Crimped Black Nylon
MB100496	#10	4"	96"	.020 Crimped Black Nylon
MB100636	#10	5"	36"	.030 Crimped Black Nylon
MB100672	#10	5"	72"	.030 Crimped Black Nylon
MB100696	#10	5"	96"	.030 Crimped Black Nylon
MB100836	#10	6"	36"	.045 Crimped Black Nylon
MB100872	#10	6"	72"	.045 Crimped Black Nylon
MB100896	#10	6"	96"	.045 Crimped Black Nylon
MB101036	#10	8"	36"	.045 Crimped Black Nylon
MB101072	#10	8"	72"	.045 Crimped Black Nylon
MB101096	#10	8"	96"	.045 Crimped Black Nylon
MB101236	#10	10"	36"	.045 Crimped Black Nylon
MB101272	#10	10"	72"	.045 Crimped Black Nylon
MB101296	#10	10"	96"	.045 Crimped Black Nylon

Other trim lengths, overall lengths, fill material and backing sizes are available upon request.


Stainless Steel Fill/ Stainless Steel Backing



TANIS PART NO.	BACKING SIZE	OVERALL TRIM	OVERALL LENGTH	FILL MATERIAL
MB404036	#4	1"	36"	.004 Crimped Stainless Steel
MB404072	#4	1"	72"	.004 Crimped Stainless Steel
MB404096	#4	1"	96"	.004 Crimped Stainless Steel
MB404236	#4	2"	36"	.006 Crimped Stainless Steel
MB404272	#4	2"	72"	.006 Crimped Stainless Steel
MB404296	#4	2"	96"	.006 Crimped Stainless Steel
MB404436	#4	3"	36"	.008 Crimped Stainless Steel
MB404472	#4	3"	72"	.008 Crimped Stainless Steel
MB404496	#4	3"	96"	.008 Crimped Stainless Steel
MB404636	#4	4"	36"	.006 Crimped Stainless Steel
MB404672	#4	4"	72"	.006 Crimped Stainless Steel
MB404696	#4	4"	96"	.006 Crimped Stainless Steel
MB404836	#4	6"	36"	.008 Crimped Stainless Steel
MB404872	#4	6"	72"	.008 Crimped Stainless Steel
MB404896	#4	6"	96"	.008 Crimped Stainless Steel
MB704036	#7	1"	36"	.006 Crimped Stainless Steel
MB704072	#7	1"	72"	.006 Crimped Stainless Steel
MB704096	#7	1"	96"	.006 Crimped Stainless Steel
MB704236	#7	2"	36"	.010 Crimped Stainless Steel
MB704272	#7	2"	72"	.010 Crimped Stainless Steel
MB704296	#7	2"	96"	.010 Crimped Stainless Steel
MB704436	#7	3"	36"	.014 Crimped Stainless Steel
MB704472	#7	3"	72"	.014 Crimped Stainless Steel
MB704496	#7	3"	96"	.014 Crimped Stainless Steel
MB704636	#7	4"	36"	.010 Crimped Stainless Steel
MB704672	#7	4"	72"	.010 Crimped Stainless Steel
MB704696	#7	4"	96"	.010 Crimped Stainless Steel
MB704836	#7	6"	36"	.014 Crimped Stainless Steel
MB704872	#7	6"	72"	.014 Crimped Stainless Steel
MB704896	#7	6"	96"	.014 Crimped Stainless Steel

Other trim lengths, overall lengths, fill material and backing sizes are available upon request.

Natural Polyester/ Stainless Steel Backing



Food Grade Brushes

TANIS PART NO.	BACKING SIZE	OVERALL TRIM	OVERALL LENGTH	FILL MATERIAL
MB460236	#4	1"	36"	.008 Crimped Natural Polyester
MB460272	#4	1"	72"	.008 Crimped Natural Polyester
MB460296	#4	1"	96"	.008 Crimped Natural Polyester
MB460436	#4	2"	36"	.012 Crimped Natural Polyester
MB460472	#4	2"	72"	.012 Crimped Natural Polyester
MB460496	#4	2"	96"	.012 Crimped Natural Polyester
MB460636	#4	3"	36"	.020 Crimped Natural Polyester
MB460672	#4	3"	72"	.020 Crimped Natural Polyester
MB460696	#4	3"	96"	.020 Crimped Natural Polyester
MB760236	#7	1"	36"	.008 Crimped Natural Polyester
MB760272	#7	1"	72"	.008 Crimped Natural Polyester
MB760296	#7	1"	96"	.008 Crimped Natural Polyester
MB760436	#7	2"	36"	.012 Crimped Natural Polyester
MB760472	#7	2"	72"	.012 Crimped Natural Polyester
MB760496	#7	2"	96"	.012 Crimped Natural Polyester
MB760636	#7	3"	36"	.020 Crimped Natural Polyester
MB760672	#7	3"	72"	.020 Crimped Natural Polyester
MB760696	#7	3"	96"	.020 Crimped Natural Polyester

Other trim lengths, overall lengths, fill material and backing sizes are available upon request.

UL94 VO Rated/ Galvanized Backing




Tanis offers flame retardant filament in our strip brushes.


Contact Tanis for information.



#4



#7




Horse Hair Fill/Galvanized Backing




TANIS PART NO.	BACKING SIZE	OVERALL TRIM	OVERALL LENGTH	FILL MATERIAL
MB409036	#4	1"	36"	Horse Hair
MB409072	#4	1"	72"	Horse Hair
MB409096	#4	1"	96"	Horse Hair
MB409236	#4	2"	36"	Horse Hair
MB409272	#4	2"	72"	Horse Hair
MB409296	#4	2"	96"	Horse Hair
MB409436	#4	3"	36"	Horse Hair
MB409472	#4	3"	72"	Horse Hair
MB409496	#4	3"	96"	Horse Hair
MB709036	#7	1"	36"	Horse Hair
MB709072	#7	1"	72"	Horse Hair
MB709096	#7	1"	96"	Horse Hair
MB709236	#7	2"	36"	Horse Hair
MB709272	#7	2"	72"	Horse Hair
MB709296	#7	2"	96"	Horse Hair
MB709436	#7	3"	36"	Horse Hair
MB709472	#7	3"	72"	Horse Hair
MB709496	#7	3"	96"	Horse Hair

Other trim lengths, overall lengths, fill material and backing sizes are available upon request.

#7





PFA Fill/Galvanized Backing



TANIS PART NO.	BACKING SIZE	OVERALL TRIM	OVERALL LENGTH	FILL MATERIAL
MB710036	#7	1"	36"	.035 PFA
MB710072	#7	1"	72"	.035 PFA
MB710096	#7	1"	96"	.035 PFA
MB710236	#7	2"	36"	.035 PFA
MB710272	#7	2"	72"	.035 PFA
MB710296	#7	2"	96"	.035 PFA
MB710436	#7	3"	36"	.035 PFA
MB710472	#7	3"	72"	.035 PFA
MB710496	#7	3"	96"	.035 PFA


Antistatic Nylon/ Galvanized Backing



TANIS PART NO.	BACKING SIZE	OVERALL TRIM	OVERALL LENGTH	FILL MATERIAL
MB440236	#4	1"	36"	.008 Level Black Anti-Static Nylon
MB440272	#4	1"	72"	.008 Level Black Anti-Static Nylon
MB440296	#4	1"	96"	.008 Level Black Anti-Static Nylon
MB440436	#4	2"	36"	.012 Level Black Anti-Static Nylon
MB440472	#4	2"	72"	.012 Level Black Anti-Static Nylon
MB440496	#4	2"	96"	.012 Level Black Anti-Static Nylon
MB440636	#4	3"	36"	.020 Level Black Anti-Static Nylon
MB440672	#4	3"	72"	.020 Level Black Anti-Static Nylon
MB440696	#4	3"	96"	.020 Level Black Anti-Static Nylon
MB740236	#7	1"	36"	.008 Level Black Anti-Static Nylon
MB740272	#7	1"	72"	.008 Level Black Anti-Static Nylon
MB740296	#7	1"	96"	.008 Level Black Anti-Static Nylon
MB740436	#7	2"	36"	.012 Level Black Anti-Static Nylon
MB740472	#7	2"	72"	.012 Level Black Anti-Static Nylon
MB740496	#7	2"	96"	.012 Level Black Anti-Static Nylon
MB740636	#7	3"	36"	.020 Level Black Anti-Static Nylon
MB740672	#7	3"	72"	.020 Level Black Anti-Static Nylon
MB740696	#7	3"	96"	.020 Level Black Anti-Static Nylon

Other trim lengths, overall lengths, fill material and backing sizes are available upon request.

Crimped Brass Fill/ Stainless Steel Backing



TANIS PART NO.	BACKING SIZE	OVERALL TRIM	OVERALL LENGTH	FILL MATERIAL
MB406036	#4	1"	36"	.004 Crimped Brass
MB406072	#4	1"	72"	.004 Crimped Brass
MB406096	#4	1"	96"	.004 Crimped Brass
MB406236	#4	2"	36"	.006 Crimped Brass
MB406272	#4	2"	72"	.006 Crimped Brass
MB406296	#4	2"	96"	.006 Crimped Brass
MB406436	#4	3"	36"	.008 Crimped Brass
MB406472	#4	3"	72"	.008 Crimped Brass
MB406496	#4	3"	96"	.008 Crimped Brass
MB406636	#4	4"	36"	.006 Crimped Brass
MB406672	#4	4"	72"	.006 Crimped Brass
MB406696	#4	4"	96"	.006 Crimped Brass
MB406836	#4	6"	36"	.008 Crimped Brass
MB406872	#4	6"	72"	.008 Crimped Brass
MB406896	#4	6"	96"	.008 Crimped Brass
MB706036	#7	1"	36"	.006 Crimped Brass
MB706072	#7	1"	72"	.006 Crimped Brass
MB706096	#7	1"	96"	.006 Crimped Brass
MB706236	#7	2"	36"	.008 Crimped Brass
MB706272	#7	2"	72"	.008 Crimped Brass
MB706296	#7	2"	96"	.008 Crimped Brass
MB706436	#7	3"	36"	.010 Crimped Brass
MB706472	#7	3"	72"	.010 Crimped Brass
MB706496	#7	3"	96"	.010 Crimped Brass
MB706636	#7	4"	36"	.008 Crimped Brass
MB706672	#7	4"	72"	.008 Crimped Brass
MB706696	#7	4"	96"	.008 Crimped Brass
MB706836	#7	6"	36"	.014 Crimped Brass
MB706872	#7	6"	72"	.014 Crimped Brass
MB706896	#7	6"	96"	.014 Crimped Brass


Other trim lengths, overall lengths, fill material and backing sizes are available upon request.

Extruded Aluminum and Flexible PVC Holders




#2¹/₂

HOLDERS SHOWN FIT
#2 1/2 STRIP BRUSHES




SINGLE TRACK ALUMINUM HOLDER

TANIS PART NO.	OVERALL LENGTH
AH250236CF	36"
AH250272CF	72"
AH250296CF	96"




90-DEGREE ALUMINUM HOLDER

TANIS PART NO.	OVERALL LENGTH
AH250836CF	36"
AH250872CF	72"
AH250896CF	96"




H-PROFILE ALUMINUM HOLDER

TANIS PART NO.	OVERALL LENGTH
AH250436CF	36"
AH250472CF	72"
AH250496CF	96"



CLIP STYLE FLEXIBLE PVC HOLDER

TANIS PART NO.	OVERALL LENGTH
FPH250036	36"
FPH250072	72"
FPH250096	96"




#2-1/2 aluminum holders have a wall thickness of .040"

**Mounting holes and slots
can be machined into holders.**




**Additional lengths by the foot available.
Custom Lengths are also available.**




HOLDERS SHOWN FIT
#4 STRIP BRUSHES

Extruded Aluminum and Stainless Steel Holders




H-PROFILE ALUMINUM HOLDER

TANIS PART NO.	OVERALL LENGTH
AH400436CF	36"
AH400472CF	72"
AH400496CF	96"




90-DEGREE ALUMINUM HOLDER

TANIS PART NO.	OVERALL LENGTH
AH402436CF	36"
AH402472CF	72"
AH402496CF	96"




OFFSET H-PROFILE ALUMINUM HOLDER

TANIS PART NO.	OVERALL LENGTH
AH400836CF	36"
AH400872CF	72"
AH400896CF	96"




DOUBLE TRACK ALUMINUM HOLDER

TANIS PART NO.	OVERALL LENGTH
AH403236CF	36"
AH403272CF	72"
AH403296CF	96"




45-DEGREE ALUMINUM HOLDER

TANIS PART NO.	OVERALL LENGTH
AH401236CF	36"
AH401272CF	72"
AH401296CF	96"




SINGLE TRACK ALUMINUM HOLDER

TANIS PART NO.	OVERALL LENGTH
AH402836CF	36"
AH402872CF	72"
AH402896CF	96"




REVERSE ANGLE ALUMINUM HOLDER

TANIS PART NO.	OVERALL LENGTH
AH402036CF	36"
AH402072CF	72"
AH402096CF	96"





STAINLESS STEEL H-PROFILE HOLDER

TANIS PART NO.	OVERALL LENGTH
STH400036	36"
STH400072	72"
STH400096	96"



#4 aluminum holders have a wall thickness of .050"


Extruded Aluminum and Stainless Steel Holders



HOLDERS SHOWN FIT
#7 STRIP BRUSHES


H-PROFILE W/ EXTENDED FLANGE ALUMINUM HOLDER

TANIS PART NO.	OVERALL LENGTH
AH700036CF	36"
AH700072CF	72"
AH700096CF	96"




SINGLE TRACK ALUMINUM HOLDER

TANIS PART NO.	OVERALL LENGTH
AH702036CF	36"
AH702072CF	72"
AH702096CF	96"




OFFSET H-PROFILE ALUMINUM HOLDER

TANIS PART NO.	OVERALL LENGTH
AH700436CF	36"
AH700472CF	72"
AH700496CF	96"




DOUBLE TRACK ALUMINUM HOLDER

TANIS PART NO.	OVERALL LENGTH
AH702436CF	36"
AH702472CF	72"
AH702496CF	96"




45-DEGREE ALUMINUM HOLDER

TANIS PART NO.	OVERALL LENGTH
AH700836CF	36"
AH700872CF	72"
AH700896CF	96"




H-PROFILE ALUMINUM HOLDER

TANIS PART NO.	OVERALL LENGTH
AH702836CF	36"
AH702872CF	72"
AH702896CF	96"




REVERSE ANGLE ALUMINUM HOLDER

TANIS PART NO.	OVERALL LENGTH
AH701236CF	36"
AH701272CF	72"
AH701296CF	96"




H-PROFILE STAINLESS STEEL HOLDER

TANIS PART NO.	OVERALL LENGTH
STH700036CF	36"
STH700072CF	72"
STH700096CF	96"




90-DEGREE ALUMINUM HOLDER

TANIS PART NO.	OVERALL LENGTH
AH701636CF	36"
AH701672CF	72"
AH701696CF	96"



#7 aluminum holders have a wall thickness of .050"




Extruded Aluminum Holders



HOLDERS SHOWN FIT
#10 STRIP BRUSHES


H-PROFILE ALUMINUM HOLDER

TANIS PART NO.	OVERALL LENGTH
AH100436CF	36"
AH100472CF	72"
AH100496CF	96"




90-DEGREE ALUMINUM HOLDER

TANIS PART NO.	OVERALL LENGTH
AH100836CF	36"
AH100872CF	72"
AH100896CF	96"



SINGLE TRACK ALUMINUM HOLDER

TANIS PART NO.	OVERALL LENGTH
AH100236CF	36"
AH100272CF	72"
AH100296CF	96"





#10 aluminum holders have a wall thickness of .060"

**Mounting holes and slots
can be machined into holders.**



**Additional lengths by the foot available.
Custom Lengths are also available.**

Rigid PVC Strip Brushes




Our rigid strip brush is built by inserting tufts of filament into a hard PVC backing and securing the filament with a staple into pre-drilled holes, creating a seamless single piece brush that can be directly mounted, requiring no additional holder.

TANIS PART NO.	TRIM LENGTH	OVERALL LENGTH	NUMBER OF ROWS	FILL MATERIAL
A RIGID PVC – h-PROFILE				
RPVC231036	1"	36"	3	.008 Level Black Nylon
RPVC232036	2"	36"	3	.012 Level Black Nylon
RPVC233036	3"	36"	3	.020 Level Black Nylon
RPVC231072	1"	72"	3	.008 Level Black Nylon
RPVC232072	2"	72"	3	.012 Level Black Nylon
RPVC233072	3"	72"	3	.020 Level Black Nylon
B RIGID PVC – 90 DEGREE PROFILE				
RPVC331036	1"	36"	3	.008 Level Black Nylon
RPVC332036	2"	36"	3	.012 Level Black Nylon
RPVC333036	3"	36"	3	.020 Level Black Nylon
RPVC331072	1"	72"	3	.008 Level Black Nylon
RPVC332072	2"	72"	3	.012 Level Black Nylon
RPVC333072	3"	72"	3	.020 Level Black Nylon
A RIGID PVC – h-PROFILE				
RPVC731036	1"	36"	3	Horse Hair
RPVC732036	2"	36"	3	Horse Hair
RPVC733036	3"	36"	3	Horse Hair
RPVC731072	1"	72"	3	Horse Hair
RPVC732072	2"	72"	3	Horse Hair
RPVC733072	3"	72"	3	Horse Hair
B RIGID PVC – 90 DEGREE PROFILE				
RPVC831036	1"	36"	3	Horse Hair
RPVC832036	2"	36"	3	Horse Hair
RPVC833036	3"	36"	3	Horse Hair
RPVC831072	1"	72"	3	Horse Hair
RPVC832072	2"	72"	3	Horse Hair
RPVC833072	3"	72"	3	Horse Hair

Rigid PVC Strip Brushes




Rigid PVC Strip Brushes are offered standard in black nylon and horsehair. If your application calls for another filament type, contact Tanis for a quote at sales@tanisinc.com.



TANIS PART NO.	TRIM LENGTH	OVERALL LENGTH	NUMBER OF ROWS	FILL MATERIAL
A RIGID PVC – h-PROFILE				
RPVC211036	1"	36"	1	.008 Level Black Nylon
RPVC212036	2"	36"	1	.012 Level Black Nylon
RPVC213036	3"	36"	1	.020 Level Black Nylon
RPVC211072	1"	72"	1	.008 Level Black Nylon
RPVC212072	2"	72"	1	.012 Level Black Nylon
RPVC213072	3"	72"	1	.020 Level Black Nylon
B RIGID PVC – 90 DEGREE PROFILE				
RPVC311036	1"	36"	1	.008 Level Black Nylon
RPVC312036	2"	36"	1	.012 Level Black Nylon
RPVC313036	3"	36"	1	.020 Level Black Nylon
RPVC311072	1"	72"	1	.008 Level Black Nylon
RPVC312072	2"	72"	1	.012 Level Black Nylon
RPVC313072	3"	72"	1	.020 Level Black Nylon
A RIGID PVC – h-PROFILE				
RPVC711036	1"	36"	1	Horse Hair
RPVC712036	2"	36"	1	Horse Hair
RPVC713036	3"	36"	1	Horse Hair
RPVC711072	1"	72"	1	Horse Hair
RPVC712072	2"	72"	1	Horse Hair
RPVC713072	3"	72"	1	Horse Hair
B RIGID PVC – 90 DEGREE PROFILE				
RPVC811036	1"	36"	1	Horse Hair
RPVC812036	2"	36"	1	Horse Hair
RPVC813036	3"	36"	1	Horse Hair
RPVC811072	1"	72"	1	Horse Hair
RPVC812072	2"	72"	1	Horse Hair
RPVC813072	3"	72"	1	Horse Hair

Flexible PVC Strip Brushes


Our flexible strip brush is built by inserting tufts of filament into a flex PVC backing and securing with a staple into pre-bored holes. This single piece flexible brush is able to bend and curve around more surfaces and does not require a separate holder.



TANIS PART NO.	TRIM LENGTH	OVERALL LENGTH	NUMBER OF ROWS	FILL MATERIAL
A FLEXIBLE PVC – h-PROFILE				
FPVC141036	1"	36"	1	.008 Level Black Nylon
FPVC142036	2"	36"	1	.012 Level Black Nylon
FPVC143036	3"	36"	1	.020 Level Black Nylon
FPVC141072	1"	72"	1	.008 Level Black Nylon
FPVC142072	2"	72"	1	.012 Level Black Nylon
FPVC143072	3"	72"	1	.020 Level Black Nylon
A FLEXIBLE PVC – h-PROFILE				
FPVC151036	1"	36"	2	.008 Crimped Black Nylon
FPVC151072	1"	72"	2	.008 Crimped Black Nylon
FPVC152036	2"	36"	2	.012 Crimped Black Nylon
FPVC152072	2"	72"	2	.012 Crimped Black Nylon
FPVC153036	3"	36"	2	.020 Crimped Black Nylon
FPVC153072	3"	72"	2	.020 Crimped Black Nylon
B FLEXIBLE PVC – 90 DEGREE PROFILE				
FPVC390136	1"	36"	2	.008 Crimped Black Nylon
FPVC390172	1"	72"	2	.008 Crimped Black Nylon
FPVC390236	2"	36"	2	.012 Crimped Black Nylon
FPVC390272	2"	72"	2	.012 Crimped Black Nylon
FPVC390336	3"	36"	2	.020 Crimped Black Nylon
FPVC390372	3"	72"	2	.020 Crimped Black Nylon
C FLEXIBLE PVC – CLIP STYLE				
FPVC121036	1"	36"	2	.008 Crimped Black Nylon
FPVC122036	2"	36"	2	.012 Crimped Black Nylon
FPVC123036	3"	36"	2	.020 Crimped Black Nylon
FPVC121072	1"	72"	2	.008 Crimped Black Nylon
FPVC122072	2"	72"	2	.012 Crimped Black Nylon
FPVC123072	3"	72"	2	.020 Crimped Black Nylon

Fuze Flex™ Strip Brush

Our Fuze Flex Strip Brush is lightweight and ultra-flexible, ideal for use in applications with contours and curves. This strip brush fuzes the fill material to the backing, both of which are Polypropylene. This brush also requires a holder for mounting.



TANIS PART NO.	BACKING SIZE	VISIBLE TRIM	OVERALL LENGTH	FILL MATERIAL
FB251100	.125" x .127"	1"	100'	.006 Level Black Polypropylene
FB252100	.125" x .127"	2"	100'	.006 Level Black Polypropylene
FB253100	.125" x .127"	3"	100'	.006 Level Black Polypropylene
FB410100	.200" x .180"	1"	100'	.010 Level Black Polypropylene
FB420100	.200" x .180"	2"	100'	.010 Level Black Polypropylene
FB430100	.200" x .180"	3"	100'	.012 Level Black Polypropylene
FB440100	.200" x .180"	4"	100'	.012 Level Black Polypropylene
FB450100	.200" x .180"	5"	100'	.012 Level Black Polypropylene

Other trim lengths, overall lengths, fill material and backing sizes are available upon request.


Fuze Flex™ Strip Brush Holders

FB25 Backing Holders

TANIS PART NO.	OVERALL LENGTH	PROFILE
A FPH250060	5'	Clip
A FPH250100	100'	Clip

FB4 Backing Holders

TANIS PART NO.	OVERALL LENGTH	PROFILE
B FPH410060	5'	H-Profile
B FPH410120	10'	H-Profile
C FPH420060	5'	90° Profile
C FPH420120	10'	90° Profile
D FPH430060	5'	Clip 90°
D FPH430120	10'	Clip 90°



APPLICATIONS

- Sealing Gaps
- Material Transporting
- Glass Processing
- Static Elimination

INDUSTRIES

- Aerospace
- Automotive
- Agriculture
- Food Processing
- Packaging
- Material Handling
- Pharmaceutical
- Data Center/
Cable Management
- And Many More

BENEFITS

- Less Expensive than Traditional Metal Back Brushes
- Lightweight. Up to 40% Lighter than Metal Back Strip Brushes
- Lower Shipping Costs
- Chemical Resistant
- Malleable
- Metal Free and Won't Rust
- Easier to Store in Inventory Due to Flexible Design
- Easily Cut to Size with Scissors
- 100% Recyclable
- Full/Dense Brush Face

TanisBrush.com

Customer Service: (800) 234-7002

Main Phone: (262) 646-9000

Email: sales@tanisinc.com

3660 Kettle Court East • Delafield, WI 53018 • USA

All information contained in this catalog was accurate at time of publishing. Information should be used as a reference. Tanis Incorporated reserves the right to change product specifications without notice. Contact Tanis for the latest product information.

Always follow safety guidelines when using brush products.

©2023 Tanis Incorporated. All rights reserved. CeramiX® is a registered trademark and Tanis Brush is a trademark of Tanis Incorporated. All trademarks are property of their respective owners.

